

ACCEPTED
FOR REGISTRATION

11/20/2015

New York State Department
of Environmental Conservation
Division of Materials Management
Pesticide Product Registration**PRO-MATE®**
TALSTAR® LG 0.069%
WITH FERTILIZER

For use to control ants (including imported fire ants), mole crickets and other listed pests on lawns in landscaped areas around residential, institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields. For Use as a Quarantine Treatment against Imported Fire Ants and for Balled and Containerized Nursery Stocks.

ACTIVE INGREDIENT:	BY WT.
Bifenthrin*	0.069%
OTHER INGREDIENTS	99.931%
TOTAL	100.000%

*Cis isomers 97% minimum, trans isomers 3% maximum.
Contains LESCO® Poly Plus® Polymer Coated Urea to provide uniform growth with extended nitrogen feeding. U.S. Patent No. 4,238,505

**KEEP OUT OF REACH OF CHILDREN
CAUTION****FIRST AID**

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
--------------------------------	---

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-(800)-424-9300 for Emergency Assistance.

NOTE TO PHYSICIAN: This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

For Information Regarding the Use of this Product Call 1-800-424-9300.

**PRECAUTIONARY STATEMENTS
Hazards to Humans (and Domestic Animals)
CAUTION**

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Do not apply more than 580 pounds of **PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER** per acre per year.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call CHEMTREC: (800) 424-9300.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Paper and plastic bags: Non-refillable. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of empty bag in a sanitary landfill or by incineration, or by burning. Do not burn unless allowed by state or local authorities. If burned, stay out of smoke.

SEE INSIDE LEAFLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND COMPLETE DIRECTIONS FOR USE.

AD 083112

EPA Reg. No. 279-3216-5905

EPA Est. No.: First letters of batch code indicate producing establishment:
5905-NC-018 = RNC; 5905-FL-013 = FPF; 5905-NM-001 = MNM; 5905-KS-007 = SK; 5905-TX-048 = GTX

NET WEIGHT: 50 LBS. (22.68 kg)

Covers from 7,500 to 15,000 SQ. FT.

DOC ID 557903

Manufactured For
HELENA CHEMICAL COMPANY
225 SCHILLING BOULEVARD, SUITE 300
COLLIERVILLE, TENNESSEE 38017

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals) CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Do not apply more than 580 pounds of **PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER** per acre per year.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call CHEMTREC: (800) 424-9300.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Paper and plastic bags: Non-refillable. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of empty bag in a sanitary landfill or by incineration, or by burning. Do not burn unless allowed by state or local authorities. If burned, stay out of smoke.

LAWN AND PERIMETER APPLICATIONS

Perimeter Application: Apply to lawn area 6 to 10 feet wide around and adjacent to the structure using an application rate of 3.33 to 6.66 pounds per 1,000 square feet.

Lawn Application: Broadcast **PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER** with suitable application equipment to ensure uniform coverage over the treatment area. Apply 3.33 to 6.66 pounds per 1,000 square feet to control the following pests

Annual Bluegrass Weevils (Hyperodes) (Adult)	Centipedes ² Chinch Bugs ² Cutworms	Mealybugs Millipedes ² Mole Crickets ²
Ants ²	Fleas	Sod Webworms
Armyworms	Imported Fire Ants ^{1,2}	Ticks ²
Billbugs (Adult)	Leafhoppers	
Black Turfgrass Ataenius (Adult)		

Comments

¹**Imported Fire Ants:** Control will be optimized by controlled fly-in queens with mound treatments (using TALSTAR®) to existing colonies.

²The higher application rate may be required to control Crickets & Ticks.

In New York State, this product may NOT be applied to ponds, rivers, streams, wetland, or drainage ditch).

In New York State, do make a single repeat application there are signs of renewed insect activity, but not

RECOMMENDATIONS

SPREADER SETTINGS: Apply to application rate	
Adjust spreader settings prior to application of product	
Spreader Type	1 lb.
SGN 200-220	
Pro-Scape®/Prizelawn Bigfoot BF-1/SS	E
Pennmulch®/Prizelawn HVO	E
Cyclone	3-1/2
Earthway Rotary	12
Ezee-Flow	C1
Gandy	22
Jet-Spred II	3-1/2
Jet-Spred III	4
Lely HR, 1250, 1500, 2010	3 II
Lely W	3 II
Lesco (Letters)	D
Lesco (Numbers)	10
Ortho Rotary	2
Prizelawn CBR III	E
Prizelawn CBR II	2-1/2
Prizelawn LF-1	2
Prizelawn MPR I	2
Republic Rotary	2
Scotts RX7	D
Scotts Accupro 2000, SR-2000	F
Scotts R8A/SR-1	I
Scotts AP	I
Scotts SR2000	I
Spyker	3
Vicon	20

Note: These spreader settings were established using application rates and speeds typically used within the industry. It is recommended to achieve the desired application rate:



Comments

¹**Imported Fire Ants:** Control will be optimized by combining broadcast applications that will control foraging workers and newly mated fly-in queens with mound treatments (using **TALSTAR® Professional Insecticide** – EPA Reg. No. 279-3206) that will control existing colonies.

²The higher application rate may be required to control Ants, Centipedes, Chinch Bugs, Fleas, Imported Fire Ants, Millipedes, Mole Crickets & Ticks.

In New York State, this product may NOT be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

RECOMMENDED SPREADER SETTINGS

SPREADER SETTINGS: Apply at the Listed Pounds of product per 1,000 square feet							
Adjust spreader settings prior to application of product. Read and follow all use directions before applying any product.							
Spreader Type	1 lb.	2 lbs.	3 lbs.	4 lbs.	5 lbs.	6 lbs.	7 lbs.
SGN 200-220							
Pro-Scape®/Prizelawn Bigfoot BF-1/SS	E	J	L	N	O	P	R
Pennmulch®/Prizelawn HVO	E	J	L	N	O	P	R
Cyclone	3-1/2	4	4-1/2	5	5-1/2	5-3/4	6
Earthway Rotary	12	14	15	16	18	20	22
Ezee-Flow	C1	C2	C2-1/2	C3	A4	A5	A6
Gandy	22	24	26	28	30	32	34
Jet-Spred II	3-1/2	4	4-1/2	5	5½	5-3/4	6
Jet-Spred III	4	4-1/2	5	5½	6	6-1/4	6-1/2
Lely HR, 1250, 1500, 2010	3 II	4 II	5 II	6 II	6-1/2 II	7 II	7-1/2 II
Lely W	3 II	4 II	5 II	6 II	6-1/2 II	7 II	7-1/2 II
Lesco (Letters)	D	G	I	J	K	L	M
Lesco (Numbers)	10	15	17	21	22	24	26
Ortho Rotary	2	3	4-1/2	5-1/2	6	8	9
Prizelawn CBR III	E	J	L	N	O	P	R
Prizelawn CBR II	2-1/2	4	4-1/2	5-1/2	6	6-1/2	8
Prizelawn LF-1	2	2-1/2	3-1/2	4	4-1/2	5	6
Prizelawn MPR I	2	2-1/2	3-1/2	4	4-1/2	5	6
Republic Rotary	2	3	4-1/2	5-1/2	6	8	9
Scotts RX7	D	E	G	I	J	L	M
Scotts Accupro 2000, SR-2000	F	H	K	M	O	P	R
Scotts R8A/SR-1	I	K	L	M	N	O	P
Scotts AP	I	K	L	M	N	O	P
Scotts SR2000	I	K	L	M	N	O	P
Spyker	3	4	4-1/2	4-3/4	5-1/4	5-1/2	6
Vicon	20	22	24	26	30	31	32

Note: These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. It is recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate:

Information regarding the contents and level

Information regarding the contents and level

Information regarding the contents and level
[xx.com](#).

ORNAMENTAL USE

(For soil incorporation into potting media u Christmas trees, and non-bearing fruit and r

HERB USE

For soil incorporation into potting media use net; camomile; catnip; chervil; chive; chiv horehound; hyssop; lavender; lemongrass; l savory, summer and winter; sweet bay; tansy val is 70 days for herbs listed above.

Application Instructions for Potting Me
volume of the mix. Based on the length of cc **LG 0.069% WITH FERTILIZER** with equ **STAR® LG 0.069% WITH FERTILIZER** distribution of the product of the mix.

PRO-MATE® TALSTAR® LG 0.069% W
Quarantine Certification program when use to determine the length of control re

Pest	USDA IFA Certification Period (mo)
Imported Fire Ant	0 – 6 7 – 12 13 – 24 Continuous

Comments: Incorporate appropriate amou of potting media based on the known bu



that will control foraging workers and newly
 (EPA Reg. No. 279-3206) that will con-

Fleas, Imported Fire Ants, Millipedes, Mole

within 100 feet of a water body (lake,

TALSTAR® LG 0.069% WITH FERTILIZER if
 r the first application.

APPLICATION RATES

per 1,000 square feet

Directions before applying any product.

	5 lbs.	6 lbs.	7 lbs.
	0	P	R
	0	P	R
	5-1/2	5-3/4	6
	18	20	22
	A4	A5	A6
	30	32	34
	5½	5-3/4	6
	6	6-1/4	6-1/2
	6-1/2 II	7 II	7-1/2 II
	6-1/2 II	7 II	7-1/2 II
	K	L	M
	22	24	26
	6	8	9
	0	P	R
	6	6-1/2	8
	4-1/2	5	6
	4-1/2	5	6
	6	8	9
	J	L	M
	0	P	R
	N	0	P
	N	0	P
	N	0	P
	5-1/4	5-1/2	6
	30	31	32

the spreader manufacturer at swath widths
 should be calibrated at the time of application

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.wa.gov/agr>.

Information regarding the contents and levels of metals in this product is available on the internet at <http://aapfco.org/metals>.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-information.com>.

ORNAMENTAL USE

(For soil incorporation into potting media used in containerized plantings of ornamental trees, shrubs, plants, flowers, conifers, Christmas trees, and non-bearing fruit and nut trees, and bushes.)

HERB USE

For soil incorporation into potting media used in containerized plantings of the following herbs: Angelica; balm; basil; borage; burnet; chamomile; catnip; chervil; chive; chive, chinese; clary; coriander (leaf); costmary; culantro (leaf); curry (leaf); dillweed; horehound; hyssop; lavender; lemongrass; lovage (leaf); marigold; marjoram; nasturtium; parsley; pennyroyal; rosemary; rue; sage; savory, summer and winter; sweet bay; tansy; tarragon; thyme; wintergreen; woodruff; and wormwood. Minimum pre-shipment interval is 70 days for herbs listed above.

Application Instructions for Potting Media: Determine bulk density of the potting media by measuring the dry weight of a unit volume of the mix. Based on the length of control required, thoroughly mix the appropriate quantity of the **PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER** with equipment suitable to give uniform distribution in the potting media. **PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER** may be pre-mixed with an appropriate amount of sand (1:10) to ensure adequate distribution of the product of the mix.

PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER is approved under the USDA Plant Protection Imported Fire Ant Quarantine Certification program when used in accordance with USDA guidelines. Use the application rates given in the table below to determine the length of control required for certification.

Pest	USDA IFA Certification Period (mo)	App. Rate (ppm)	Potting Media Bulk Density* (lbs. PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER Per Cubic Yard)				
			200	300	400	500	600
Imported Fire Ant	0 – 6	10	2.9	4.3	5.8	7.25	8.7
	7 – 12	12	3.5	5.2	7.0	8.7	10.4
	13 – 24	15	4.4	6.6	8.7	10.9	13.0
	Continuous	25	7.2	10.9	14.5	18.1	21.7

Comments: Incorporate appropriate amount of **PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER** in one cubic yard of potting media based on the known bulk density.

For General Use On Ornamental Plants outside the scope of USDA guidelines

For Fungus Gnat larvae & Mealybugs use 5 to 10 ppm. For Black Vine Weevil larvae, Root Weevil larvae, White Grubs (including Japanese Beetle, oriental beetle and European chafer larvae) & Imported Fire Ants use 10 to 25 ppm. Use the higher rates for extended residual control.

Pest	App. Rate (ppm)	Potting Media Bulk Density* (lbs. PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER Per Cubic Yard)				
		200	300	400	500	600
Fungus Gnat larvae	5	0.5	0.75	1.0	1.25	1.5
Mealybugs	10	2.9	4.3	5.8	7.25	8.7
Black Vine Weevil	10	2.9	4.3	5.8	7.25	8.7
Root Weevil larvae	15	4.4	6.6	8.7	10.9	13.0
White Grubs	25	7.2	10.9	14.5	18.1	21.7
Imported Fire Ants						

Comments: Incorporate appropriate amount of **PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER** in one cubic yard of potting media based on the known bulk density.

$$\begin{aligned} & \text{*lbs. of PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER per cubic yard} \\ & \qquad \qquad \qquad = \frac{\text{bulk density of potting media} \times \text{ppm}}{690} \end{aligned}$$

(bulk density = laboratory determined dry weight of a unit volume of potting media.)

CONDITIONS OF SALE AND LIM

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty for this product. If the terms are not acceptable, return the product to the seller.

The Directions for Use of this product must be followed closely. Do not use this product. Crop injury, ineffectiveness, or other use or application, weather or crop conditions beyond the assumed by Buyer and User, and Buyer and User agree to accept the risk of such factors.

Seller warrants that this product conforms to the conditions of sale and limitation of warranty stated on the label, and that the product is fit for the purposes stated on the Directions for Use when used in accordance with the label. EXCEPT AS WARRANTED BY THIS LABEL, HELENA CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE SELECTION, PURCHASE, USE, OR PERFORMANCE OF THIS PRODUCT, HAVING BEEN MADE ARE INAPPLICABLE IF THIS PRODUCT IS USED UNDER CONDITIONS NOT REASONABLY FORESEEN BY HELENA CHEMICAL COMPANY, AND BUYER ASSUMES THE RISK OF ANY SUCH DAMAGE.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty for this product. If the terms are not acceptable, return the product to the seller.

To the extent consistent with applicable law, HELENA CHEMICAL COMPANY DISCLAIMS ANY CONSEQUENTIAL, INCIDENTAL OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, AND THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY, OR OTHERWISE, SHALL BE THE RETURN OF THE PRODUCT TO THE PURCHASER TO THE CHEMICAL COMPANY OR SELLER, THE REPLACEMENT OF THE PRODUCT, OR THE REFUND OF THE PURCHASE PRICE. THESE CONDITIONS OF SALE AND LIMITATION OF WARRANTY APPLY TO ALL PURCHASES OF THIS PRODUCT.

© Copyright Helena Holding Company, 2012

TALSTAR® is a registered trademark of FMC Corporation. **LESCO®** and **Poly Plus®** are registered trademarks of LE Coated Urea.

PRO-MATE® is a registered trademark of Helena Holding Company.



CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of HELENA CHEMICAL COMPANY or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold HELENA CHEMICAL COMPANY and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. EXCEPT AS WARRANTED BY THIS LABEL, HELENA CHEMICAL COMPANY MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or HELENA CHEMICAL COMPANY, and buyer assumes the risk of any such use.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

To the extent consistent with applicable law, HELENA CHEMICAL COMPANY or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF HELENA CHEMICAL COMPANY AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF HELENA CHEMICAL COMPANY OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

© Copyright Helena Holding Company, 2012

TALSTAR® is a registered trademark of FMC Corporation.

LESCO® and **Poly Plus®** are registered trademarks of LESCO Technologies, LLC. Poly Plus is comprised of Polymer coated sulfur Coated Urea.

PRO-MATE® is a registered trademark of Helena Holding Company.

irvae, White Grubs (including
om. Use the higher rates for

nsity* % WITH FERTILIZER	
500	600
1.25	1.5
7.25	8.7
7.25	8.7
10.9	13.0
18.1	21.7

FERTILIZER in one cubic yard

PRO-MATE®

**For use to control ants (including imp
scaped areas around residential, i
recreational areas and athletic fields.
Balled and Containerized Nursery Sto**

ACTIVE INGREDIENT:

Bifenthrin*

OTHER INGREDIENTS

TOTAL

*Cis isomers 97% minimum, trans isomers 3% maximum

U.S. Patent No. 4,238,505

Contains LESCO® Poly Plus® Polymer Coated Urea to pro

FLORIDA APPLICATIONS: For use on golf courses or oth
Course and Athletic Field Fertilization Base on Mehlich I E

FLORIDA APPLICATIONS: For commercial application t
of Water Resources in Florida, June 2002, Florida
[Trainings/FLGreen/BMP Book final.pdf](#).

KEEP OUT

SEE INSIDE LEAFLET FOR ADDITIONAL

IF ON SKIN OR CLOTHING:

- Take off contaminated c
- Rinse skin immediately
- Call a poison control ce

Have the product container or label with you
contact 1-(800)-424-9300 for Emergency Assis

NOTE TO PHYSICIAN: This product is a pyre
oils may increase absorption and so should be

For Information Regarding the Use of this Proc

AD 083112

EPA Reg. No. 279-3216-5905

EPA Est. No.: First letters of batch code in
018=RNC; 5905-FL-013=FPF; 5905-NM-001=

HELENA
225 SCHILLING BOULEVA

Job #54903



WARRANTY AND LIABILITY

Warranty and Liability before buying or using the product. The purchase price will be refunded.

It is understood that all risks inherently associated with the use of this product are assumed by the user. It is because of such factors as manner of application, weather conditions, and other factors that the user assumes all risks. The Seller, HELENA CHEMICAL COMPANY, and Seller, assume no liability for any claims or damages, including attorney's fees, arising out of the use of this product, under any circumstances.

HELENA CHEMICAL COMPANY and Seller, assume no liability for any claims or damages, including attorney's fees, arising out of the use of this product, under any circumstances. HELENA CHEMICAL COMPANY and Seller, assume no liability for any claims or damages, including attorney's fees, arising out of the use of this product, under any circumstances.

Warranty and Liability before buying or using the product. The purchase price will be refunded.

HELENA CHEMICAL COMPANY and Seller, assume no liability for any claims or damages, including attorney's fees, arising out of the use of this product, under any circumstances.

Warranty and Liability before buying or using the product. The purchase price will be refunded.

Warranty and Liability before buying or using the product. The purchase price will be refunded.

PRO-MATE® TALSTAR® LG 0.069% WITH FERTILIZER

For use to control ants (including imported fire ants), mole crickets and other listed pests on lawns in landscaped areas around residential, institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields. For Use as a Quarantine Treatment against Imported Fire Ants and for Balled and Containerized Nursery Stocks.

ACTIVE INGREDIENT:	BY WT.
Bifenthrin*	0.069%
OTHER INGREDIENTS	99.931%
TOTAL	100.000%

*Cis isomers 97% minimum, trans isomers 3% maximum.

U.S. Patent No. 4,238,505

Contains LESCO® Poly Plus® Polymer Coated Urea to provide uniform growth with extended nitrogen feeding.

FLORIDA APPLICATIONS: For use on golf courses or other athletic turf in FL, we recommend you follow SL 191, "Recommendations for N, P, K and Mg for Golf Course and Athletic Field Fertilization Base on Mehlich I Extractant, available on the internet at <http://edis.ifas.ufl.edu/SS404>.

FLORIDA APPLICATIONS: For commercial application to urban turf or lawns in FL, we recommend you follow the Best Management Practices for Protection of Water Resources in Florida, June 2002, Florida Green Industries, available on the internet at http://www.dep.state.fl.us/central/Home/Meetings/Trainings/FLGreen/BMP_Book_final.pdf.

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE INSIDE LEAFLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND COMPLETE DIRECTIONS FOR USE.

FIRST AID

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15–20 minutes.
- Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-(800)-424-9300 for Emergency Assistance.

NOTE TO PHYSICIAN: This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

For Information Regarding the Use of this Product Call 1-800-424-9300.

AD 083112

EPA Reg. No. 279-3216-5905

EPA Est. No.: First letters of batch code indicate producing establishment: 5905-NC-018=RNC; 5905-FL-013=PPF; 5905-NM-001=MNM; 5905-KS-007=SK; 5905-TX-048=GTX

NET WEIGHT:

50 LBS. (22.68 kg)

Covers from 7,500 to 15,000 SQ. FT.

Manufactured For

HELENA CHEMICAL COMPANY

225 SCHILLING BOULEVARD, SUITE 300 • COLLIERVILLE, TENNESSEE 38017

Job #54903